



Message Implementation Guideline

DSV INVOIC D96A

based on

INVOIC

Invoice message

UN D.96A S3

Version: 2.1f
Issue date: 2018-11-27
Author: EDI Support SE

1 Message Structure.....	5
2 Branching Diagram	7
3 Segments	12

INTRODUCTION

EDIFACT is the recognised international standard for EDI trading in a wide range of commercial and non-commercial sectors. Its established applications are in store-and-forward “batch” communication of transaction messages of many kinds. EDIFACT begins with an underlying syntax, which is an ISO standard. Within that syntax, there are directories of data elements, composite data elements, segments, and messages; and there are conventions for placing messages in an “envelope” which identifies the sender and receiver and other attributes of a transmission.

The EDIFACT message itself does not define the medium by which the message is sent, or the protocols which are used in any particular form of communication. Please note that all communications is ordered via our homepage www.dsv.se / eTjänster / Registrering - Övriga system / Registrerar dig här.

Structure of an interchange

An EDIFACT transmission or interchange is opened and closed by a number of mandatory or conditional *service segments*, which constitute the “envelope” for the transmission as a whole and for messages within it. Inside this envelope, each message is made up of *user segments*. Both service segments and user segments begin with a three-letter identifier, and end with a segment separator.

The structure is organised on three levels: interchange, group, and message. However, DSV normally do only use two, interchange and message. An interchange begins with a UNA or UNB segment and ends with a UNZ segment. A message begins with a UNH segment and ends with a UNT segment.

Character sets

EDIFACT standards define a number of character sets, coded in the UNB segment at the beginning of each interchange as UNOA, UNOB, UNOC, etc. UNOA and UNOB correspond to the basic ASCII character sets of ISO 646 and ISO 6937. UNOC to UNOF correspond to the alphabets defined in Parts 1, 2, 5 and 7 of ISO 8859. We ask you to normally use UNOC for our Swedish production which supports Swedish letters such as “Å, Ä, Ö

Change history of INVOIC (external version rev 2.1f):

- SG38 / ALC, status updated to support 30 repetitions

File example – singel version (for composite version the LIN-group will be repeated)

UNA:+.?
UNB+UNOC:3+5560456674+AAA708824172+130829:0927+1206271001+++++1
UNH+JC509949130731+INVOIC:D:96A:UN
BGM+380+JH123456+9
DTM+137:20130829:102
DTM+3:20130829:102
FTX+ZZZ+++Dröjsmålsränta debiteras med 2%/månad. Bank?: Nordea, Malmö
FTX+ZZZ+++SWIFT?: NDEASESS IBAN?: SE1995000099603408720708.
FTX+ZZZ+++Om ingen moms är debiterad gäller förvärvsbeskattning enligt 5 kap. 5§
FTX+ZZZ+++och 1 kap. 2§ första stycket 2 i mervärdesskattelagen (1994?:200)
FTX+AAB+++DUE DATE
NAD+IV+XXXXXXXXX::87++TEST INVOICE RECIVER AB+TEST STREET 1+LANDSKRONA++26124+SE
RFF+VA:SEXXXXXXXXXX
NAD+II+532-8653++DSV ROAD AB+DSV ROAD AB+BOX 722++25107+SE
RFF+VA:SE556045667401
CTA+SU+:ANDERS ANDERSSON
COM+0418-391370:TE
COM+EDI.SUPPORT@SE.DSV.COM:EM
CUX+3:SEK:11
PAT+1+6:::10+5:3:D
DTM+13:20130825:102
LIN+1
MEA+WT+AAD+KGM:302
MEA+CHW+ACG+KGM:862
QTY+47:1:PCE
DTM+200:20130810:102
MOA+203:3930.85:SEK
PRI+AAA:3930.85
RFF+SRN:XXXX-XXXXX
PAC+1++CLL
TAX+7+VAT+++:::25.00+S
MOA+124:982.71
NAD+SF+++TEST SENDER+SENDER STREET+KARLSKRONA++37140+SE
NAD+DP+++TEST GOODS RECIEVER AB+TESTVÄGEN 8+KUMLA++692 35+SE
ALC+C++6++::87:FRAKT
MOA+6:2959:SEK
MOA+8:2959:SEK
ALC+C++6++::87:1000 KG. a 295,86 SEK pr. 100
ALC+C++6++::87:VALUTA, BUNKER, DRIVMEDELSTILLÄGG
MOA+6:800.7:SEK
MOA+8:800.7:SEK
ALC+C++6++::87:27,06 % a 2959,00 SEK
ALC+C++6++::87:VÄGSKATT DE ZON 7
MOA+6:72.15:SEK
MOA+8:8.1:SEK
ALC+C++6++::87:900 KG. a 0,90 EUR pr. 100
ALC+C++6++::87:REDUCERAD EXPEDITIONSavgift

MOA+6:24:SEK
MOA+8:24:SEK
ALC+C++6++::87:GODSET HAR SKRYMMEMÄTTS/VÄGTS
ALC+C++6++::87:FRAKTBERÄKNAD VIKT ÅR
ALC+C++6++::87:862 KG
ALC+C++6++::87:FAKTURERINGSavgift
MOA+6:75:SEK
MOA+8:75:SEK
TOD+6++EXW:ZZZ
LOC+1+:::KARLSKRONA
UNS+S
MOA+86:3930.85:SEK
MOA+125:3930.85:SEK
MOA+128:4914:SEK
MOA+165:0.44:SEK
TAX+7+VAT+++:::25.00+S
MOA+176:982.71:SEK
MOA+125:3930.85:SEK
UNT+64+JC509949130731
UNZ+1+1206271001

Structure / Table of Contents

Counter	No	Tag	St	MaxOcc	Level	Content
0000	1	UNA	M	1	0	SERVICE STRING ADVICE
0000	2	UNB	M	1	0	INTERCHANGE HEADER
0010	3	UNH	M	1	0	MESSAGE HEADER
0020	4	BGM	M	1	0	Beginning of message
0030	5	DTM	M	35	1	Date/time/period
0070	6	FTX	M	10	1	Free text
0080		SG1	C	99	1	RFF
0090	7	RFF	M	1	1	Reference
0110		SG2	M	99	1	NAD-SG3-SG5
0120	8	NAD	M	1	1	Name and address
0150		SG3	C	9999	2	RFF
0160	9	RFF	M	1	2	Reference
0210		SG5	C	5	2	CTA-COM
0220	10	CTA	M	1	2	Contact information
0230	11	COM	C	5	3	Communication contact
0280		SG7	C	5	1	CUX
0290	12	CUX	M	1	1	Currencies
0310		SG8	M	10	1	PAT-DTM
0320	13	PAT	M	1	1	Payment terms basis
0330	14	DTM	M	5	2	Date/time/period
0890		SG25	M	9999999	1	LIN-MEA-QTY-DTM-SG26-SG28-SG29-SG30-SG33-SG34-SG38-SG46
0900	15	LIN	M	1	1	Line item
0930	16	MEA	M	5	2	Measurements
0940	17	QTY	M	5	2	Quantity
0970	18	DTM	M	35	2	Date/time/period
1030		SG26	M	5	2	MOA
1040	19	MOA	M	1	2	Monetary amount
1110		SG28	M	25	2	PRI
1120	20	PRI	M	1	2	Price details
1160		SG29	M	10	2	RFF
1170	21	RFF	M	1	2	Reference
1190		SG30	M	10	2	PAC
1200	22	PAC	M	1	2	Package
1310		SG33	M	99	2	TAX-MOA
1320	23	TAX	M	1	2	Duty/tax/fee details
1330	24	MOA	C	1	3	Monetary amount
1350		SG34	M	20	2	NAD
1360	25	NAD	M	1	2	Name and address

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group


St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Content
	1470	SG38	M	30	2	ALC-SG41
	1480	26 ALC	M	1	2	Allowance or charge
	1570	SG41	C	2	3	MOA
	1580	27 MOA	M	1	3	Monetary amount
	1710	SG46	M	5	2	TOD-LOC
	1720	28 TOD	M	1	2	Terms of delivery or transport
	1730	29 LOC	C	2	3	Place/location identification
	1790	30 UNS	M	1	0	SECTION CONTROL
	1810	SG48	M	100	1	MOA
	1820	31 MOA	M	1	1	Monetary amount
	1860	SG50	M	10	1	TAX-MOA
	1870	32 TAX	M	1	1	Duty/tax/fee details
	1880	33 MOA	C	2	2	Monetary amount
	1930	34 UNT	M	1	0	MESSAGE TRAILER
	0000	35 UNZ	M	1	0	INTERCHANGE TRAILER

Counter = Counter of segment/group within the standard
 No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Branching Diagram of Used Segments/Groups



Tag
St
MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group


No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag
 St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)
 MaxOcc = Maximum occurrence of the segment/group
 No = Consecutive segment number
 Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter


Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard



Tag
St MaxOcc
No
Counter

Tag = Segment/Group Tag

St = Status (M=Mandatory, C=Conditional, R=Required, O=Optional, A=Advised, D=Dependent)

MaxOcc = Maximum occurrence of the segment/group

No = Consecutive segment number

Counter = Counter of segment/group within the standard

Segments

Counter	No	Tag	St	MaxOcc	Level	Name
0000	1	UNA	M	1	0	SERVICE STRING ADVICE

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNA				
UNA1	Component data element separator	M an1	M an1	:
UNA2	Data element separator	M an1	M an1	+
UNA3	Decimal notation	M an1	M an1	.
UNA4	Release indicator	M an1	M an1	?
UNA5	Reserved for future use	M an1	M an1	
UNA6	Segment terminator	M an1	M an1	'

Remark:

Example:

UNA: + . ? ' ,

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0000	2	UNB	M	1	0	INTERCHANGE HEADER

		Standard	Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNB				
S001	SYNTAX IDENTIFIER	M	M	
0001	Syntax identifier	M a4	M a4	UNOC UN/ECE level C
0002	Syntax version number	M n1	M n1	3 Syntax version number 3
S002	INTERCHANGE SENDER	M	M	
0004	Sender identification	M an..35	M an..35	Sender ID
0007	Partner identification code qualifier	C an..4	C an..4	Partner identification code qualifier
0008	Address for reverse routing	C an..14	N	Not used
S003	INTERCHANGE RECIPIENT	M	M	
0010	Recipient identification	M an..35	M an..35	Receiver ID
0007	Partner identification code qualifier	C an..4	C an..4	30 ISO 6523: Organization identification
0014	Routing address	C an..14	N	Not used
S004	DATE/TIME OF PREPARATION	M	M	
0017	Date of preparation	M n6	M n6	Date of preparation
0019	Time of preparation	M n4	M n4	Time of preparation
0020	Interchange control reference	M an..14	M an..14	Interchange control reference
S005	RECIPIENT'S REFERENCE PASSWORD	C	N	
0022	Recipient's reference/password	M an..14	N	Not used
0025	Recipient's reference/password qualifier	C an2	N	Not used
0026	Application reference	C an..14	N	Not used
0029	Processing priority code	C a1	N	Not used
0031	Acknowledgement request	C n1	N	Not used
0032	Communications agreement ID	C an..35	N	Not used
0035	Test indicator	C n1	C n1	1 Interchange is a test

Remark:**Example:**

UNB+UNOC:3+DKDFDS.DKDFDS01:ZZ+RECEIVERID:ZZ+111205:1200+1112050812321+++++1'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0010	3	UNH	M	1	0	MESSAGE HEADER

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNH				
0062	Message reference number	M an..14	M an..14	
S009	MESSAGE IDENTIFIER	M	M	
0065	Message type identifier	M an..6	M an..6	INVOIC Invoice message
0052	Message type version number	M an..3	M an..3	D Draft directory
0054	Message type release number	M an..3	M an..3	96A Version 96A
0051	Controlling agency	M an..2	M an..2	UN UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)
0057	Association assigned code	C an..6	N	Not used
0068	Common access reference	C an..35	N	Not used
S010	STATUS OF THE TRANSFER	C	N	
0070	Sequence message transfer number	M n..2	N	Not used
0073	First/last sequence message transfer indication	C a1	N	Not used

Remark:**Example:**

UNH+XX1234561200+INVOIC:D:96A:UN'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0020	4	BGM	M	1	0	Beginning of message

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
BGM				
C002	Document/message name	C	C	
1001	Document/message name, coded	C an..3	C an..3	380 Commercial invoice 381 Credit note
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
1000	Document/message name	C an..35	N	Not used
1004	Document/message number	C an..35	C an..35	Document/messsage number
1225	Message function, coded	C an..3	C an..3	9 Original
4343	Response type, coded	C an..3	N	Not used

Remark:**Example:**

BGM+380+XX123456+9'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0030	5	DTM	M	35	1	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date/time/period qualifier	M an..3	M an..3	3 Invoice date/time
2380	Date/time/period	C an..35	C an..35	137 Document/message date/time
2379	Date/time/period format qualifier	C an..3	C an..3	Date/time/period 102 CCYYMMDD

Remark:**Example:**

DTM+137:20111004:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0070	6	FTX	M	10	1	Free text

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
FTX				
4451	Text subject qualifier	M an..3	M an..3	AAB Terms of payments ZZZ BANK DETAILS
4453	Text function, coded	C an..3	N	Not used
C107	Text reference	C	N	Not used
4441	Free text, coded	M an..3	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
C108	Text literal	C	C	
4440	Free text	M an..70	M an..70	Due date
4440	Free text	C an..70	N	Not used
4440	Free text	C an..70	N	Not used
4440	Free text	C an..70	N	Not used
4440	Free text	C an..70	N	Not used
3453	Language, coded	C an..3	N	Not used

Remark:**Example:**

FTX+AAB+++DUE DATE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0080		SG1	C	99	1	RFF
0090	7	RFF	M	1	1	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference qualifier	M an..3	M an..3	ZZZ Mutually defined reference number
1154	Reference number	C an..35	C an..35	Payment reference
1156	Line number	C an..6	N	Not used
4000	Reference version number	C an..35	N	Not used

Remark:**Example:**

RFF+PQ:X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0110		SG2	M	99	1	NAD-SG3-SG5
0120	8	NAD	M	1	1	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party qualifier	M an..3	M an..3	II Issuer of invoice IV Invoicee
C082	Party identification details	C	C	
3039	Party id. identification	M an..35	M an..35	Party ID. identification
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	C an..3	87 Assigned by carrier
C058	Name and address	C	N	
3124	Name and address line	M an..35	N	Not used
3124	Name and address line	C an..35	N	Not used
3124	Name and address line	C an..35	N	Not used
3124	Name and address line	C an..35	N	Not used
3124	Name and address line	C an..35	N	Not used
C080	Party name	C	C	
3036	Party name	M an..35	M an..35	Party name
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3045	Party name format, coded	C an..3	N	Not used
C059	Street	C	C	
3042	Street and number/p.o. box	M an..35	M an..35	Street and number/p.o. box
3042	Street and number/p.o. box	C an..35	N	Not used
3042	Street and number/p.o. box	C an..35	N	Not used
3042	Street and number/p.o. box	C an..35	N	Not used
3164	City name	C an..35	C an..35	City name
3229	Country sub-entity identification	C an..9	N	Not used
3251	Postcode identification	C an..9	C an..9	Postcode identification
3207	Country, coded	C an..3	C an..3	Country coded

Remark:**Example:**

NAD+IV+12345678::87++TESTINVOICE RECEIVER AB+TESTSTREET 1+MALMÖ++20211+SE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0150		SG3	C	9999	2	RFF
0160	9	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference qualifier	M an..3	M an..3	VA VAT registration number ON Order number (purchase)
1154	Reference number	C an..35	C an..35	Reference number
1156	Line number	C an..6	N	Not used
4000	Reference version number	C an..35	N	Not used

Remark:**Example:**

RFF+VA:SE5560XXXXXX '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0210		SG5	C	5	2	CTA-COM
0220	10	CTA	M	1	2	Contact information

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CTA				
3139	Contact function, coded	C an..3	C an..3	SU Supplier contact
C056	Department or employee details	C	C	
3413	Department or employee identification	C an..17	N	Not used
3412	Department or employee	C an..35	C an..35	Department or employee

Remark:**Example:**

CTA+SU+:ANDERS ANDERS '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0210		SG5	C	5	2	CTA-COM
0230	11	COM	C	5	3	Communication contact

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
COM				
C076	Communication contact	M	M	
3148	Communication number	M an..512	M an..512	Communication number
3155	Communication channel qualifier	M an..3	M an..3	EM Electronic mail TE Telephone

Remark:**Example:**

COM+0406801370:TE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0280		SG7	C	5	1	CUX
0290	12	CUX	M	1	1	Currencies

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
CUX				
C504	Currency details	C	C	
6347	Currency details qualifier	M an..3	M an..3	3 Target currency
6345	Currency, coded	C an..3	C an..3	SEK Swedish Krona
6343	Currency qualifier	C an..3	C an..3	11 Payment currency
6348	Currency rate base	C n..4	N	Not used
C504	Currency details	C	N	
6347	Currency details qualifier	M an..3	N	Not used
6345	Currency, coded	C an..3	N	Not used
6343	Currency qualifier	C an..3	N	Not used
6348	Currency rate base	C n..4	N	Not used
5402	Rate of exchange	C n..12	N	Not used
6341	Currency market exchange, coded	C an..3	N	Not used

Remark:**Example:**

CUX+3:SEK:11'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0310		SG8	M	10	1	PAT-DTM
0320	13	PAT	M	1	1	Payment terms basis

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PAT				
4279	Payment terms type qualifier	M an..3	M an..3	1 Basic
C110	Payment terms	C	C	
4277	Terms of payment identification	M an..17	M an..17	6 No drafts
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
4276	Terms of payment	C an..35	C an..35	Terms of payment
4276	Terms of payment	C an..35	N	Not used
C112	Terms/time information	C	C	
2475	Payment time reference, coded	M an..3	M an..3	5 Date of invoice
2009	Time relation, coded	C an..3	C an..3	3 After reference
2151	Type of period, coded	C an..3	C an..3	D Day
2152	Number of periods	C n..3	N	Not used

Remark:**Example:**

PAT+1+6:::30+5:3:D'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0310		SG8	M	10	1	PAT-DTM
0330	14	DTM	M	5	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date/time/period qualifier	M an..3	M an..3	13 Terms net due date
2380	Date/time/period	C an..35	C an..35	Date/time/period
2379	Date/time/period format qualifier	C an..3	C an..3	102 CCYYMMDD

Remark:**Example:**

DTM+13:20111130:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0890		SG25	M	9999999	1	LIN-MEA-QTY-DTM-SG26-SG28-SG29-SG30-SG33-SG34-SG38-SG46
0900	15	LIN	M	1	1	Line item

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LIN				
1082	Line item number	C n..6	C n..6	Line item number
1229	Action request/notification, coded	C an..3	N	Not used
C212	Item number identification	C	N	
7140	Item number	C an..35	N	Not used
7143	Item number type, coded	C an..3	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
C829	Sub-line information	C	N	
5495	Sub-line indicator, coded	C an..3	N	Not used
1082	Line item number	C n..6	N	Not used
1222	Configuration level	C n..2	N	Not used
7083	Configuration, coded	C an..3	N	Not used

Remark:**Example:**

LIN+1 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0890		SG25	M	9999999	1	LIN-MEA-QTY-DTM-SG26-SG28-SG29-SG30-SG33-SG34-SG38-SG46
0930	16	MEA	M	5	2	Measurements

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MEA				
6311	Measurement application qualifier	M an..3	M an..3	CHW Chargeable weight LMT Loading meters VOL Volume WT Weights ZKM Kilometer
C502	Measurement details	C	C	
6313	Measurement dimension, coded	C an..3	C an..3	AAD Total gross weight ABJ Volume ABK Loading meter DS Distance between points
6321	Measurement significance, coded	C an..3	N	Not used
6155	Measurement attribute, coded	C an..3	N	Not used
6154	Measurement attribute	C an..70	N	Not used
C174	Value/range	C	C	
6411	Measure unit qualifier	M an..3	M an..3	CBM Cubic metre KGM Kilogram * KM Kilometer LDM Loading metre
6314	Measurement value	C n..18	C n..18	Measurement value
6162	Range minimum	C n..18	N	Not used
6152	Range maximum	C n..18	N	Not used
6432	Significant digits	C n..2	N	Not used
7383	Surface/layer indicator, coded	C an..3	N	Not used

Remark:**Example:**

MEA+CHW+AAD+KGM: 3 68 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0890		SG25	M	9999999	1	LIN-MEA-QTY-DTM-SG26-SG28-SG29-SG30-SG33-SG34-SG38-SG46
0940	17	QTY	M	5	2	Quantity

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
QTY				
C186	Quantity details	M	M	
6063	Quantity qualifier	M an..3	M an..3	47 Invoiced quantity
6060	Quantity	M n..15	M n..15	Quantity
6411	Measure unit qualifier	C an..3	C an..3	PCE Piece

Remark:**Example:**

QTY+47:1:PCE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0890		SG25	M	9999999	1	LIN-MEA-QTY-DTM-SG26-SG28-SG29-SG30-SG33-SG34-SG38-SG46
0970	18	DTM	M	35	2	Date/time/period

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
DTM				
C507	Date/time/period	M	M	
2005	Date/time/period qualifier	M an..3	M an..3	200 Pick-up/collection date/time of cargo 189 Departure date/time, scheduled 189 only used for Air&Sea shipments
2380	Date/time/period	C an..35	C an..35	Date/time/period
2379	Date/time/period format qualifier	C an..3	C an..3	102 CCYYMMDD

Remark:**Example:**

DTM+200:20111129:102'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1030		SG26	M	5	2	MOA
1040	19	MOA	M	1	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type qualifier	M an..3	M an..3	203 Line item amount 124 Tax amount
5004	Monetary amount	C n..18	C n..18	Monetary amount
6345	Currency, coded	C an..3	C an..3	ISO 4217, 3 character alpha code to be used
6343	Currency qualifier	C an..3	N	Not used
4405	Status, coded	C an..3	N	Not used

Remark:**Example:**

MOA+203:456.76:SEK'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1110		SG28	M	25	2	PRI
1120	20	PRI	M	1	2	Price details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PRI				
C509	Price information	C	C	
5125	Price qualifier	M an..3	M an..3	AAA Calculation net
5118	Price	C n..15	C n..15	Price
5375	Price type, coded	C an..3	N	Not used
5387	Price type qualifier	C an..3	N	Not used
5284	Unit price basis	C n..9	N	Not used
6411	Measure unit qualifier	C an..3	N	Not used
5213	Sub-line price change, coded	C an..3	N	Not used

Remark:**Example:**

PRI+AAA:456.76'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1160		SG29	M	10	2	RFF
1170	21	RFF	M	1	2	Reference

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
RFF				
C506	Reference	M	M	
1153	Reference qualifier	M an..3	M an..3	AAO Consignee's shipment reference number Only used for road shipments AAS Transport document number CU Consignor's reference number SRN Shipment reference number MB Master bill of lading number HWB House waybill number ON Order number (purchase) ACD Additional reference number IV Invoice number
1154	Reference number	C an..35	C an..35	Reference number
1156	Line number	C an..6	N	Not used
4000	Reference version number	C an..35	N	Not used

Remark:**Example:**

RFF+AAS:6436128620'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1190		SG30	M	10	2	PAC
1200	22	PAC	M	1	2	Package

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
PAC				
7224	Number of packages	C n..8	C n..8	Number of packages
C531	Packaging details	C	N	
7075	Packaging level, coded	C an..3	N	Not used
7233	Packaging related information, coded	C an..3	N	Not used
7073	Packaging terms and conditions, coded	C an..3	N	Not used
C202	Package type	C	C	
7065	Type of packages identification	C an..17	C an..17	CLL
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
7064	Type of packages	C an..35	N	Not used
C402	Package type identification	C	N	
7077	Item description type, coded	M an..3	N	Not used
7064	Type of packages	M an..35	N	Not used
7143	Item number type, coded	C an..3	N	Not used
7064	Type of packages	C an..35	N	Not used
7143	Item number type, coded	C an..3	N	Not used
C532	Returnable package details	C	N	
8395	Returnable package freight payment responsibility, coded	C an..3	N	Not used
8393	Returnable package load contents, coded	C an..3	N	Not used

Remark:**Example:**

PAC+2++CLL'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1310		SG33	M	99	2	TAX-MOA
1320	23	TAX	M	1	2	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty/tax/fee function qualifier	M an..3	M an..3	7 Tax
C241	Duty/tax/fee type	C	C	
5153	Duty/tax/fee type, coded	C an..3	C an..3	VAT Value added tax
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
5152	Duty/tax/fee type	C an..35	N	Not used
C533	Duty/tax/fee account detail	C	N	
5289	Duty/tax/fee account identification	M an..6	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
5286	Duty/tax/fee assessment basis	C an..15	N	Not used
C243	Duty/tax/fee detail	C	C	
5279	Duty/tax/fee rate identification	C an..7	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
5278	Duty/tax/fee rate	C an..17	C an..17	Duty/tax/fee rate
5273	Duty/tax/fee rate basis identification	C an..12	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
5305	Duty/tax/fee category, coded	C an..3	C an..3	S Standard rate
3446	Party tax identification number	C an..20	N	Not used

Remark:**Example:**

TAX+7+VAT+++:::25.00+S'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1310		SG33	M	99	2	TAX-MOA
1330	24	MOA	C	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type qualifier	M an..3	M an..3	124 Tax amount
5004	Monetary amount	C n..18	C n..18	
6345	Currency, coded	C an..3	N	Not used
6343	Currency qualifier	C an..3	N	Not used
4405	Status, coded	C an..3	N	Not used

Remark:**Example:**

MOA+124:150.00 '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1350		SG34	M	20	2	NAD
1360	25	NAD	M	1	2	Name and address

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
NAD				
3035	Party qualifier	M an..3	M an..3	DP Delivery party SF Ship from
C082	Party identification details	C	N	
3039	Party id. identification	M an..35	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
C058	Name and address	C	N	
3124	Name and address line	M an..35	N	Not used
3124	Name and address line	C an..35	N	Not used
3124	Name and address line	C an..35	N	Not used
3124	Name and address line	C an..35	N	Not used
3124	Name and address line	C an..35	N	Not used
C080	Party name	C	C	
3036	Party name	M an..35	M an..35	Party name
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3036	Party name	C an..35	N	Not used
3045	Party name format, coded	C an..3	N	Not used
C059	Street	C	C	
3042	Street and number/p.o. box	M an..35	M an..35	Street and number/p.o. box
3042	Street and number/p.o. box	C an..35	N	Not used
3042	Street and number/p.o. box	C an..35	N	Not used
3042	Street and number/p.o. box	C an..35	N	Not used
3164	City name	C an..35	C an..35	City name
3229	Country sub-entity identification	C an..9	N	Not used
3251	Postcode identification	C an..9	C an..9	Postcode identification
3207	Country, coded	C an..3	C an..3	Country, coded acc. ISO 3166

Remark:**Example:**

NAD+SF+++SHIPPER FROM AB+SHIPPER ROAD 2+KARLSKRONA++37147+SE'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1470		SG38	M	30	2	ALC-SG41
1480	26	ALC	M	1	2	Allowance or charge

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
ALC				
5463	Allowance or charge qualifier	M an..3	M an..3	C Charge
C552	Allowance/charge information	C	N	
1230	Allowance or charge number	C an..35	N	Not used
5189	Charge/allowance description, coded	C an..3	N	Not used
4471	Settlement, coded	C an..3	C an..3	6 Charge to be paid by customer
1227	Calculation sequence indicator, coded	C an..3	N	Not used
C214	Special services identification	C	C	
7161	Special services, coded	C an..3	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	C an..3	87 Assigned by carrier
7160	Special service	C an..35	C an..35	Special service
7160	Special service	C an..35	N	Not used

Remark:**Example:**

ALC+C++6++::87:FREIGHT'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1570		SG41	C	2	3	MOA
1580	27	MOA	M	1	3	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type qualifier	M an..3	M an..3	6 Amount reference currency 8 Allowance or charge amount
5004	Monetary amount	C n..18	C n..18	Monetary amount
6345	Currency, coded	C an..3	C an..3	ISO 4217, 3 character alpha code to be used
6343	Currency qualifier	C an..3	N	Not used
4405	Status, coded	C an..3	N	Not used

Remark:**Example:**

MOA+6:393.76:SEK'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1710		SG46	M	5	2	TOD-LOC
1720	28	TOD	M	1	2	Terms of delivery or transport

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TOD				
4055	Terms of delivery or transport function, coded	C an..3	C an..3	6 Delivery condition
4215	Transport charges method of payment, coded	C an..3	N	Not used
C100	Terms of delivery or transport	C	C	
4053	Terms of delivery or transport, coded	C an..3	C an..3	Incoterms 2010 or Combiterms 2000
1131	Code list qualifier	C an..3	C an..3	ZZZ Mutually defined
3055	Code list responsible agency, coded	C an..3	N	Not used
4052	Terms of delivery or transport	C an..70	N	Not used
4052	Terms of delivery or transport	C an..70	N	Not used

Remark:**Example:**

TOD+6++EXW:ZZZ '

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1710		SG46	M	5	2	TOD-LOC
1730	29	LOC	C	2	3	Place/location identification

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
LOC				
3227	Place/location qualifier	M an..3	M an..3	1 Place of terms of delivery
C517	Location identification	C	C	
3225	Place/location identification	C an..25	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
3224	Place/location	C an..70	C an..70	
C519	Related location one identification	C	N	
3223	Related place/location one identification	C an..25	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
3222	Related place/location one	C an..70	N	Not used
C553	Related location two identification	C	N	
3233	Related place/location two identification	C an..25	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
3232	Related place/location two	C an..70	N	Not used
5479	Relation, coded	C an..3	N	Not used

Remark:**Example:**

LOC+1+:::X'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1790	30	UNS	M	1	0	SECTION CONTROL

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNS				
0081	Section identification	M a1	M a1	S Detail/summary section separation

Remark:

Example:

UNS+S '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1810		SG48	M	100	1	MOA
1820	31	MOA	M	1	1	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type qualifier	M an..3	M an..3	86 Message total monetary amount 124 Tax amount (Home currency) 125 Taxable amount 128 Total amount 165 Adjustment amount
5004	Monetary amount	C n..18	C n..18	
6345	Currency, coded	C an..3	C an..3	ISO 4217, 3 character alfa code to be used
6343	Currency qualifier	C an..3	N	Not used
4405	Status, coded	C an..3	N	Not used

Remark:**Example:**

MOA+86:35906:SEK'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1860		SG50	M	10	1	TAX-MOA
1870	32	TAX	M	1	1	Duty/tax/fee details

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
TAX				
5283	Duty/tax/fee function qualifier	M an..3	M an..3	7 Tax
C241	Duty/tax/fee type	C	C	
5153	Duty/tax/fee type, coded	C an..3	C an..3	VAT Value added tax
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
5152	Duty/tax/fee type	C an..35	N	Not used
C533	Duty/tax/fee account detail	C	N	
5289	Duty/tax/fee account identification	M an..6	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
5286	Duty/tax/fee assessment basis	C an..15	N	Not used
C243	Duty/tax/fee detail	C	C	
5279	Duty/tax/fee rate identification	C an..7	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
5278	Duty/tax/fee rate	C an..17	C an..17	Duty/tax/fee rate
5273	Duty/tax/fee rate basis identification	C an..12	N	Not used
1131	Code list qualifier	C an..3	N	Not used
3055	Code list responsible agency, coded	C an..3	N	Not used
5305	Duty/tax/fee category, coded	C an..3	C an..3	S Standard rate E Exempt from tax
3446	Party tax identification number	C an..20	N	Not used

Remark:**Example:**

TAX+7+VAT+++:::25.00+S'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1860		SG50	M	10	1	TAX-MOA
1880	33	MOA	C	2	2	Monetary amount

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
MOA				
C516	Monetary amount	M	M	
5025	Monetary amount type qualifier	M an..3	M an..3	125 Taxable amount 176 Message total duty/tax/fee amount
5004	Monetary amount	C n..18	C n..18	
6345	Currency, coded	C an..3	C an..3	ISO 4217, 3 character alpha code to be used
6343	Currency qualifier	C an..3	N	Not used
4405	Status, coded	C an..3	N	Not used

Remark:**Example:**

MOA+125::SEK'

No = Consecutive segment number
 MaxOcc = Maximum occurrence of the segment/group
 Counter = Counter of segment/group within the standard

St = Status
 EDIFACT: M=Mandatory, C=Conditional
 User specific: R=Required, O=Optional, D=Dependent,
 A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
1930	34	UNT	M	1	0	MESSAGE TRAILER

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNT				
0074	Number of segments in a message	M n..6	M n..6	
0062	Message reference number	M an..14	M an..14	

Remark:**Example:**

UNT+768+JE543532081232 '

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used

Counter	No	Tag	St	MaxOcc	Level	Name
0000	35	UNZ	M	1	0	INTERCHANGE TRAILER

Standard			Implementation	
Tag	Name	St Format	St Format	Usage / Remark
UNZ				
0036	Interchange control count	M n..6	M n..6	
0020	Interchange control reference	M an..14	M an..14	

Remark:**Example:**

UNZ+1+1110030812321'

No = Consecutive segment number
MaxOcc = Maximum occurrence of the segment/group
Counter = Counter of segment/group within the standard

St = Status
EDIFACT: M=Mandatory, C=Conditional
User specific: R=Required, O=Optional, D=Dependent,
A=Advised, N=Not used